No. 1

Editorial Review

Sex hormone-binding globulin—still many questions: *G. Lindstedt, P.-A. Lundberg, G. L. Hammond & R. Vihko* 1

Original Articles

Are sodium bicarbonate and potassium bicarbonate fully dissociated under physiological conditions? *P. D. Wimberley, O. Siggaard-Andersen, N. Fogh-Andersen & A. B. T. J. Boink* 7

Serum cysteine proteinase inhibitors with special reference to kidney failure: *V. K. Hopsu-Havu, I. Joronen, S. Havu, A. Rinne, M. Järvinen & J. Forsström* 11

The use of monoclonal antibodies in measuring factor VIII/von Willebrand factor: *S. Lamme, A. Wallmark, L. Holmberg, I. M. Nilsson & H.-O. Sjögren*... 17

[^{3}H]ouabain binding and sodium content in lymphocyte sub-populations and the demonstration of increased binding in type 2 diabetes mellitus: *E. Berntorp, K. Berntorp, D. Nelson & N. Henningsen* 27

Seasonal variations in UVR-induced DNA synthesis and in UVR inhibition of phytohaemagglutinin-stimulated proliferation of human lymphocytes: *B. Munch-Petersen, K. Wallevik & M. Faber* 37

Effects of isoproterenol on adenine nucleotide catabolism in cat hearts with acute regional ischaemia: *L. Stangeland, K. Grong & A. M. Bakken* 45

Evaluation of microtitre plates for the routine assay of oestrogen and progesterone receptors in tissue extracts: *S. Arrenbrecht & F. Pataky* 55

Catecholamine-responsive adenylate cyclase activity in human endomyocardial biopsies: *S. Golf, T. Jahnsen, S. Simonsen, A. Attramadal & V. Hansson* 61

Inhibitory activity in mouse lung-conditioned medium studied in the agar assay for bone marrow colony-forming cells: removal by vitamin C: *I. Storm-Mathisen, J. Helgestad & S. O. Lie* 67

Apparently high plasma angiotensin II levels in patients with essential hypertension treated by coverting enzyme inhibition: *P. Boer & G. G. Geyskes* 77

Determination of cholesteryl sulphate by isotope dilution-mass spectrometry for diagnosis of steroid sulphatase deficiency: *I. Björkhem, E. Enocksson & P. Harper* 83

Plasma fibronectin in relation to surgical trauma: *E. Högström & U. Haglund* 87

Letters to the Editor

Peroperative somatotropin assay—an aid in the surgical treatment of acromegaly: *G. Lindstedt, J. Elfversson, B. Gustafson, P.-A. Lundberg & B. Sjögren* 91

The Nordic Thyroid Meetings: *B.-A. Lamberg* 95

Symposium Report

9th Nordic Thyroid Symposium, Gothenburg, 7–8 June, 1984: *R. Ekholm, L. E. Ericson, G. Lindstedt & E. Nyström* 95

No. 2

Original Articles

The blood serum concentration of cystatin C (γ-trace) as a measure of the glomerular filtration rate: *O. Simonsen, A. Grubb & H. Thysell* 97

Apolipoproteins A-I, A-II and E in cholestatic liver disease: *C.-H. Florén & A. Gustafson* ... 103

Metabolic responses to physical training in young insulin-dependent diabetics: *H. Baevre, O. Søvik, A. Wisnes & E. Heiervang* 109

Effect of serial test meals on plasma immunoreactive GIP in non-insulin dependent diabetic patients and non-diabetic controls: *P.-H. Groop, F. Fyhrquist & L. C. Groop* 115

Estimation of lymphatic conductance. A model based on protein–kinetic studies and haemodynamic measurements in patients with cirrhosis of the liver and in pigs: *J. H. Henriksen* 123

Sampling and storage of blood for determination of ionized calcium: *J. Thode, N. Fogh-Andersen, F. Aas & O. Siggaard-Andersen* 131

Estimation of stability of [^{3}H]ouabain binding site concentration in rat and human skeletal muscle post mortem: *A. Nørgaard, K. Kjeldsen, J. Stenfatt Larsen, C. Grønhøj Larsen & F. Grønhøj Larsen* 139

Lactate determination with the lactate analyser LA 640: a critical study: *A. Geyssant, D. Dormois, J. C. Barthelemy & J. R. Lacour* 145

Fasting and postprandial serum bile acid concentration with special reference to variations in the conjugate profile: *G. Hedenborg & A. Norman* 151

Conjugation, metabolism and excretion of [24–^{14}C] chenodeoxycholic acid in patients with extrahepatic cholestasis before and after biliary drainage–analysis of conjugated bile acids by HPLC: *G. Hedenborg, A. Norlander & A. Norman* 157

Platelet α granule release in diabetes mellitus: *S. Sacchi, G. Curci, L. Piccinini, F. Cucci, A. Messerotti, R. Roncaia & P. G. Benedetti* 165

L-Carnitine and haemodialysis: double blind study on muscle function and metabolism and peripheral nerve function: *B. Fagher, G. Cederblad, M. Eriksson, M. Monti, U. Moritz, P. Nilsson-Ehle & H. Thysell* 169

Plasma lipoproteins, liver function and glucose metabolism in haemodialysis patients; lack of effect of L-carnitine supplementation: *P. Nilsson-Ehle, G. Cederblad, B. Fagher, M. Monti & H. Thysell* 179

Urinary cyclic AMP in spot urine of healthy children: *J. Thode, B. B. Jacobsen & S. N. Holmegaard* 185

Technical Note

Visual tests for urinary amylase investigated in the routine laboratory: *A. Uldall* 189

No. 3

Original Articles

Carnitine and left ventricular function in haemodialysis patients: *B. Fagher, G. Cederblad, M. Monti, L. Olsson, B. Rasmussen & H. Thysell* 193

Arginine vasopressin and cyclic adenosine monophosphate during acute sodium loading in chronic glomerulonephritis: *H. Danielsen, E. B. Pedersen, J. Møller & N. Goltermann* 199

Diurnal course of the suitability of serum samples obtained from normal subjects and from patients with primary endogenous hypertriglyceridaemia to serve as substrate for milk lipoprotein lipase: *C. Pagano Mirani-Oostdijk, L. Havekes, P. J. den Boer, E. de Wit & J. Terpstra* 207

Extracellular volume, renal clearance and whole body permeability-surface area product in man, measured after single injection of polyfructosan: *O. M. Nielsen* 217

The stabilizing effect of glucocorticoids on human endothelial cells in culture: *H. Järveläinen, T.-T. Pelliniemi & T. Rönnemaa* 223

Immunoreactive parathyroid hormone and calcitonin in plasma and ultrafiltrate before and after haemodialysis: *P. Fauchald, V. T. Gautvik & K. M. Gautvik* 229

Determination of the R-protein and the R-protein-vitamin B_{12}-complex in saliva and gastrointestinal juice by FPLC Mono S cationic chromatography: *E. Kittang, P. Torjesen & H. Schjønsby* 237

Immunonephelometric measurement of human plasma apolipoproteins A-I and A-II: an assay performed by consecutive addition of the two antisera to a single specimen: *T. Kuusi, T. Palosuo & C. Ehnholm* 245

Measurement of ionized calcium with five types of instruments. An external quality assessment: *A. Uldall, N. Fogh-Andersen, J. Thode, A. B. T. J. Boink, J. Kofstad, L. Larsson, S. Närvänen, K. O. Pedersen & T. Weber* 255

Evidence of age-related variation in plasma vasopressin of normotensive men: *I. Os, S. E. Kjeldsen, I. Aakesson, J. Skjøtø, I. Eide, I. Hjermann & P. Leren* 263

Dextran 70 versus donor plasma as colloid in open-heart surgery under extreme haemodilution: *R. K. Reed, P. Lilleaasen, H. Lindberg & O. Stokke* 269

Myocardial blood flow conditions at re-perfusion following acute ischaemia: *K. S. Andersen, E. Svendsen & J. Lekven* 275

Technical Notes

Enzymatic microdetermination of free fatty acids in plasma of animals using paraoxon to prevent lipolysis: *A. J. M. Degen & J. Van der Vies* 283

A plastic bag freezing method for preparation of faeces for analysis: *B. Giese, L. Tougaard, J. Doessing & L. Thousig* 287

Letter to the Editor

A new and more ascorbic acid-resistant dipstick test for the detection of glucosuria has been introduced: *L. N. W. Daae & A. Juell* 289

No. 4

Editorial Review

A review of the enzymic errors in the various porphyrias: *C. Rimington* 291

Original Articles

Evaluation of pituitary–adrenal function after pituitary surgery: *P. Laurberg, J. Møller, L. Husager & J. Weeke* 303
Determination of porphyrins by high performance liquid chromatography: fluorescence detection compared to absorbance detection: *E. Sagen & I. Romslo* 309
A method for determination of the capacity of urea synthesis in the rat: *B. A. Hansen & H. Vilstrup* 315
Relationship between urinary concentrating ability, arginine vasopressin in plasma and blood pressure after renal transplantation: *E. B. Pedersen, H. Danielsen, A. H. Nielsen, F. Knudsen, T. Jensen, H. J. Kornerup & M. Madsen* 321
The calcium ion activity and the standardized excretion rate of calcium in urine of healthy adults: *J. Thode*... 327
Pyruvate and acetate oxidation by leukocytes *in vitro*. Activation of the pyruvate dehydrogenase complex by uncoupling of oxidative phosphorylation: *N. Venizelos & L. Hagenfeldt* 335
Platelets and antithrombin III in uraemia: the acute effect of haemodialysis: *F. Knudsen & J. Dyerberg* 341
Calcium–ATPase activity in erythrocyte ghosts from patients with familial benign hypercalcaemia: *P. A. Mole & C. R. Paterson* 349
Radioimmunoassay for neuropeptide Y (NPY): chromatographic characterization of immunoreactivity in plasma and tissue extracts: *E. Theodorsson-Norheim, A. Hemsén & J. M. Lundberg* 355
β_2-microglobulin in urine and serum determined by ELISA technique: *L. Hemmingsen & P. Skaarup* 367
Radioimmunoassay of haemoglobin F in K 562 cells following induction with renin substrate and erythropoietin: *K. Rosenlöf, F. Fyhrquist, L. Hortling & C. Grönhagen-Riska* ... 373
Cell-released substances interfere with low density lipoprotein receptor determination in fibroblasts: *T. P. Leren & K. Berg* 379

No. 5

Original Articles

Analysis of vanillylmandelic and homovanillic acids in urine using solid phase sample preparation and high pressure liquid chromatography with electrochemical detection: *A. Bremmelgaard* ... 387

Anaerobic skin metabolism in healthy men estimated with transcutaneous PCO_2 electrode: *G. Rooth, U. Ewald & F. Caligara* ... 393

SCE Nordic α-amylase method selection and calibration study. A report by the Committee of Enzymes of the Scandinavian Society for Clinical Chemistry (SCE): *W. Gerhardt, J. Waldenstrøm, M. Hörder, E. Magid, J. H. Strømme, L. Theodorsen, M. Härkönen & A. Icén* ... 397

Abnormal conjugated dopamine levels in patients with normoprolactinaemic amenorrhoea and in insulin-dependent diabetic patients: *C. Hagen, H. Djursing, N. J. Christensen, A. N. Andersen, K. Tvede, K. Petersen & L. Carstensen* ... 405

The diagnostic value of different enzymes and standard ECG in acute myocardial infarction: *J. Herlitz, Å. Hjalmarson & J. Waldenström* ... 413

A method for the quantification of cartilage proteoglycan structures liberated to the synovial fluid during developing degenerative joint disease: *D. Heinegård, S. Inerot, J. Wieslander & G. Lindblad* ... 421

Different inhibition of one and two chain tissue plasminogen activator by a placental inhibitor studied with two tripeptide-p-nitroanilide substrates: *B. Åstedt, B. Bladh, U. Christensen & I. Lecander* ... 429

Heparin interference in the measurement of γ-glutamyltransferase activity with the Scandinavian and the IFCC recommended method: *J. H. Strømme & L. Theodorsen* ... 437

Fast atom bombardment mass spectrometry in the diagnosis of cerebrotendinous xanthomatosis: *B. Egestad, P. Pettersson, S. Skrede & J. Sjövall* ... 443

Plasma adrenaline and noradrenaline during mental stress and isometric exercise in man. The role of arterial sampling: *L. S. Jörgensen, L. Bönlökke & N. J. Christensen* ... 447

The predictive value of bronchial histamine challenge in the diagnosis of bronchial asthma: *F. Madsen, N.-H. Holstein-Rathlou, H. Mosbech, B. Weeke & U. G. Svendsen* ... 453

Radioimmunoassay of human sex hormone binding globulin: improved radioiodination procedure: *P. Fernlund, S. Gershagen, I. Larsson & G. Rannevik* ... 461

An enzyme linked immunosorbent assay (ELISA) for measurement of human serum thyroglobulin. Evaluation of the influence of thyroglobulin auto-antibodies: *J. Kastrup, U. Feldt-Rasmussen, H. R. Bartram, J. Witten & H. Sand Hansen* ... 471

Technical Note

A simplified method for estimating mean values of multiple specimens: *L. Tougaard, B. Giese & S. Spelling* ... 477

No. 6

Editorial Review

Creatine kinase BB in cerebrospinal fluid and blood: methodology and possible clinical application: *P. Urdal & J. H. Strømme* 481

Original Articles

An enzyme linked immunosorbent assay for measurements of lactoferrin in duodenal aspirates and other biological fluids: *J. Hegnhøj & O. B. Schaffalitzky de Muckadell* 489
Concentration of sodium hyaluronate in serum: *A. Engström-Laurent, U. B. G. Laurent, K. Lilja & T. C. Laurent* 497
Frontal subcutaneous blood flow, and epi- and subcutaneous temperatures during scalp cooling in normal man: *J. Bülow, L. Friberg, O. Gaardsting & M. Hansen* 505
Whole-body microvascular permeability of small molecules in man: clinical aspects, basic concepts and limitations of the single injection technique: *J. H. Henriksen* 509
Haemodynamic and metabolic consequences of elevated plasma free fatty acids during acute ischaemic left ventricular failure in dogs: *O. A. Smiseth & O. D. Mjøs* 515
Determination of the tissue-to-blood partition coefficient for ^{131}iodo-antipyrine in human subcutaneous adipose tissue: *R. Jelnes & A. Astrup* 521
Chemical analyses for early differential diagnosis between bacterial and viral meningitis: *S. Landaas & B. Von der Lippe* 525
Hepatic binding of triglyceride-rich lipoproteins in humans: *C.-H. Florén* 531
Enzyme immunoassay: an improved determination of urinary albumin in diabetics with incipient nephropathy: *B. Feldt-Rasmussen, B. Dinesen & M. Deckert* 539
Assessment of initial hexose uptake in adipocytes using the physiological substrate D-glucose. Particular relevance to human adipocytes: *S. Zeuzem & R. Taylor* 545
Interstitial fluid volume, plasma volume and transcapillary colloid osmotic gradient in patients with hepatic cirrhosis and fluid retention: *P. Fauchald & S. Ritland* 553

Technical Notes

Serum albumin assay with bromcresol purple dye: *M. T. Parviainen, A. Harmoinen & H. Jokela* 561
The double isotope technique for in vivo determination of the tissue-to-blood partition coefficient for xenon in human subcutaneous adipose tissue – an evaluation: *R. Jelnes, A. Astrup & J. Bülow* 565
Preparation of an optically clear frozen human control serum: *B. C. G. Dujardin & A. F. M. Roijers* 569

Symposium Report

The use of kits in clinical laboratories: *A. Aakvaag, E. Leskinen, G. Lindstedt, J. Möller, A. Nyberg & T. Weber* 573

No. 7

Editorial Review

Thyroid hormone receptors in fetal and hormone resistant tissues: *J. Bernal, K. Liewendahl & B.-A. Lamberg* ... 577

Original Articles

Reproducibility of the fluorescein dilaurate pancreatic function test: *J. Keller, J. Ørnsholt, F. Andersen & V. Munck* ... 585
C-peptide determination in the choice of treatment in diabetes mellitus: *P. Koskinen, J. Viikari, K. Irjala, H.-L. Kaihola & P. Seppälä* ... 589
Blood hormone and metabolite levels during graded cycle ergometer exercise: *H. Näveri* ... 599
The postoperative fibrinolytic shutdown: a rapidly reverting acute phase pattern for the fast-acting inhibitor of tissue-type plasminogen activator after trauma: *C. Kluft, J. H. Verheijen, A. F. H. Jie, D. C. Rijken, F. E. Preston, H. M. Sue-Ling, J. Jespersen & A. O. Aasen* ... 605
Determination of mono- and dihydroxy-vitamin D metabolites in normal subjects and patients with different calcium metabolic diseases: *L. Hummer, B. J. Riis, C. Christiansen & H. Rickers* ... 611
Cutaneous blood flow in the foot following lumbar sympathectomy: *G. H. Welch & D. P. Lieberman* ... 621
The osmoregulatory system and the renin–angiotensin–aldosterone system in pre-eclampsia and normotensive pregnancy: *E. B. Pedersen, P. Johannesen, A. B. Rasmussen & H. Danielsen* ... 627
The predominant protein in human seminal coagulate: *H. Lilja & C.-B. Laurell* ... 635
Effect of hypothermic renal ischaemia on renin secretion rate in man: *J. H. Henriksen, H. K. Petersen & J. Giese* ... 643
Purification of the pepsinogen A isozymogens by means of high resolution ion-exchange chromatography. Evidence for post-translational modifications: *J. Défize, G. Pals, J. C. Pronk, R. R. Frants, G. Rimmelzwaan, B. D. Westerveld & A. W. Eriksson* ... 649

Technical Notes

Enzymatic assay for methotrexate in erythrocytes: *H. Schrøder & E.-M. Heinsvig* ... 657
Determination of gamma glutamyltransferase in completely haemolysed blood samples: *H. Gjerde & J. Mørland* ... 661
An assay for estimating the cytoxicity of synovial fluid from patients with rheumatoid arthritis: *A. D. Blann* ... 665

International Recommendation

ICSH/ICTH recommendations for reporting prothrombin time in oral anticoagulant control: *E. A. Loeliger* ... 669

No. 8

Original Articles

Effect of zinc and other cations on the release of the eosinophil cationic protein: *I. Winqvist, T. Olofsson & E. Persson* ... 671

Clearance of triglycerides from the circulation and its relationship to serum lipoproteins: influence of age and sex: *C. Tollin, M. Ericsson, O. Johnson & C. Backman* ... 679

Diffusion and polymerization determines the insulin absorption from subcutaneous tissue in diabetic patients: *P. Hildebrandt, P. Sejrsen, S. L. Nielsen, K. Birch & L. Sestoft* ... 685

Isolation of human alveolar macrophages and lymphocytes from bronchoalveolar lavage fluid by centrifugal elutriation: *E. Blaschke, A. Eklund, S. Skog & B. Danielsson* ... 691

Species difference of galactose metabolism in erythrocytes: *S. Keiding* ... 697

Colloid osmotic pressures, plasma volume and interstitial fluid volume in patients with heart failure: *P. Fauchald* ... 701

Fasting plasma C-peptide levels in health and impaired glucose tolerance: relations to blood glucose and relative body weight: *G. Birgerstam & J. Malmquist* ... 707

A simple method for evaluating platelet superoxide dismutase: *F. Violi, L. Iuliano, C. Alessandri, A. Ghiselli & F. Balsano*... ... 713

A new method for rapid technetium-99m labelling of leucocytes: functional cell studies in vitro: *E. Sundrehagen, H. B. Benestad, R. Heikkilä, I. B. Hersleth, M. Siebke & I. Strøm-Gundersen* ... 717

Discrepancy between serum 1,25-dihydroxycholecalciferol measured by radioimmunoassay and cytosol radioreceptor assay: *L. Hummer, C. Christiansen & L. Tjellesen* ... 725

Enzyme-linked immunosorbent assay (ELISA) for the measurement of small quantities of α_2-macroglobulin: *C. Munck Petersen, J. Vestergård Povlsen & J. Ingerslev* ... 735

Evaluation of insulin release and relative peripheral resistance with use of the oral glucose tolerance test: a study in subjects with normoglycaemia, glucose intolerance and non-insulin-dependent diabetes mellitus: *J. Cederholm & L. Wibell* ... 741

Separation of erythropoietic stimulators in severe anaemia using high performance gel permeation chromatography: *T. R. J. Lappin, G. E. Elder, M. Madden & J. M. Bridges* 753

On the kinetics of complement activation, leucopenia and granulocyte-elastase release induced by haemodialysis: *F. Knudsen, A. Høj Nielsen, J. Oluf Pedersen & C. Jersild* ... 759

Letter to the Editor

Absence of hepatic peroxisomes in a case of infantile refsum's disease: *H. Ogier, F. Roels, A. Cornelis, B. T. Poll The, J. M. Scotto, M. Odievre & J. M. Saudubray* ... 767

List of Referees for 1985 ... 769